

The Inquiry Based Approach in Learning of Mobile Applications Programming

Ľubomír Šnajder – Ján Guniš P. J. Šafárik University in Košice, Faculty of Science, Slovakia





Content

- Methodology of teaching of mobile applications programming in AI2
- Programming of STEM applications
 - Using mobile devices in education
 - Data logger for the city traffic
 - Pedometer or physical activities counter
 - Suggestions for further projects
- Conclusions



Methodology of teaching of mobile applications programming in AI2

- sources: Constructionism + Inquiry Based Learning
- inspiration: Build Conceptualize Customize –
 Create (Wolber's model of teaching)
- main attributes of our methodology:
 - creation useful apps exploiting spec functionalities of MD
 - first introduce sensors, then program constructions
 - pupils follow worksheets with formative assessment
 - rapid app creation -> extension to (STEM) project
 - support for teachers (methodologies, training)



Using mobile devices in education

- Communication
- Multimedia
- Games, leisure ...
- Data processing:
 - spreadsheet -> spreadsheet on a cloud, MD
 - fictive data -> real data
 - data from external sources -> original and authentic data
 - not only process data -> obtain data + process data
 - using sensors of MD



Data logger for the city traffic (1)

motivation

- real, original data for spreadsheet,
- mobile devices, GPS module ...
- data stored directly in electronic form,
- research problem
 - traffic in the city traffic density
- typical STEM project
 - Programmer problem to create mobile application
 - Scientific problem to process data statistically



Data logger for the city traffic (2)

Problem analyses

- What type of data is recorded and how to record data?
- Which data can be obtained automatically and which require the decision of man?
- What is the format of recorded data?
- Where will be the data stored?
- What functionality and interface should the application have?
- Which environment (language) will be used to create the application? (We assume AI2)
- Which previous decisions can we implement within the given environment? How to modify those we cannot implement?

1



Data k

9:48 Fic (3)



passenger car OUT

DataLogging

public transport OUT

freight transport_OUT

passenger car IN

public transport IN

freight transport IN

undo

reset OR prepare file

exit

place measu time

data

time measu directio

cai

type transp

Prog

Data

comatically

omatically

n researcher

tomatically

pn researcher

on researcher

br 2

١



Data logger for the city traffic (4)

Part of program code when passenger_car_OUT ▼ .Click to write data type direction o initialize local data to 📜 o join 📗 call Clock1 ▼ .FormatDateTime instant Clock1 ▼ LocationSensor1 • Latitude LocationSensor1 Longitude get (type * get direction * .AppendToFile File1 * text get data fileName /traffic.csv

I



Data logger for the city traffic (5)

- Programming is beauty because each product provides a room for improvement.
 - Problem 1: We do not have feedback when a button is pressed.
 - solution: short vibration
 - Problem 2: Which button was pressed?
 - solution: View just stored data in label component
 - Problems: UNDO action, reset data, data from more observers
 - **...**



Pedometer / phys. activities counter (IBL, requirements-means)

- guided inquiry (problem, methods, result)
- requirements for mobile app (problem)
 - -> means (AI2):
 - what sensors are suitable for recording of movement speed changes (apps from Google Play)
 - identify movement speed changes (accelerometer components, AI2 cmds)
 - display value of accelerometer sensor (write/draw cmds)
 - steps counting (calculation, testing cmds)
 - keep measured data (store to/read from file cmds)



Pedometer / phys. activities counter (sequence of questions)

- How much the values of various sensors of MD in the same situations differ?
- What trends have the components of acceleration measured by the sensor during walking?
 How much do they differ for different types of gait and a variety of people? Which of the components of acceleration will be taken into account?
- At what place and in what position we should fasten the mobile device to the human body to obtain the most accurate values from mobile application to measure the number of steps?




Pedometer / phys. activities counter (sequence of questions 2)

- Which algorithm should we use to calculate the steps?
 We calculate the steps immediately, or from recorded values?
- What other functionalities should the mobile application have?
- What other useful applications can be derived from this pedometer application?



Pedometer / phys. activities counter (methodology)

- Determining what sensors are on our MD and how they react on changing the speed of movement (accelerometer sensor is a winner)
- Programming mobile app (in AI2) for displaying actual value of acceleration sensor (z-component)



```
when AccelerometerSensor1 . AccelerationChanged

xAccel yAccel zAccel


do set Label_Instant . Text to get zAccel .
```



Pedometer / phys. activities counter (methodology 2)

 Experimenting with our and other ready-made apps during walking (periodic course of accelerometer sensor).

Number of steps = number of passes through the certain threshold.



ī



Pedometer / phys. activities counter (methodology 3)

• key part of program code with absolute value of the acceleration vector $\sqrt{a_x^2 + a_y^2 + a_z^2}$

```
Clock1 ▼
          .Timer
          get global measuring
     set global a v to ( call acceleration v
                                              AccelerometerSensor1 >
                                                                       XAccel
                                              AccelerometerSensor1 >
                                                                       YAccel
                                              AccelerometerSensor1
                                                                       ZAccel
     set Label Acceleration
                               Text ▼
                                             get global a v
     Ø if
                                                               and •
                                   get global limit
                                                                        get global a_old 🔻 ≤ 📭 get global limit
                   get global a 🔻
            set global steps v to 📜 🖸
                                      get global steps
            set Label Steps v
                               Text ▼ to get global steps ▼
            call Sound1 .Play
         write_to_file
     set global a_old v to ( get global a
```

1



Pedometer / phys. activities counter (methodology 4)

- Adding other features:
 - setting sensitivity threshold of the pedometer
 - recording (and displaying) of measured data to a text file
 - delay before measuring





http://ai2.appinventor.mit.edu/?galleryId=6283550952259584



Pedometer / phys. activities counter (methodology 5)

- Creation of other apps based on pedometer:
 - counting of squats
 - determine the pace of selected training exercises
 - diagnosing of pathological shakiness, or lameness



Suggestions for further projects

- Multimedia notepad for young journalists
 (taking photos with recorded date, time, GPS
 position, personal notes and additional drawings).
- Talking compass for visually impaired persons (orientation sensor, speech synthesis)
- SMS loud reader for visually impaired or very busy persons (using speech synthesis, receiving SMS)
- Detector of falls for seniors (sending SMS to specified person with recorded information about GPS position, orientation and time of a fall)



Suggestions for further projects 2

 Treasure hunting game (GPS sensor, orientation sensor, barcode reader).



I



Conclusions

- examples of meaningful integration of MD into education not only exploiting but also creation own mobile apps
- pupils programming, STEM, inquiry skills, creativity
- prepared teachers methodologies, training
- future plans development methodologies,
 writing book for pupils on programming in AI2

supported by the Slovak Research and Development Agency under the contract no. APVV-0715-12 Research on the efficiency of innovative teaching methods in mathematics, physics and informatics education.



Contacts

RNDr. Ľubomír ŠNAJDER, PhD. lubomir.snajder@upjs.sk

PaedDr. Ján Guniš, PhD. jan.gunis@upjs.sk



Pavol Jozef Šafárik University in Košice Faculty of Science Institute of Computer Science Park Angelinum 9, 041 54 Košice Phone (office): 00421 55 234 2539 GPS: 48.728888 N, 21.248232 E

I